



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/765,740	01/27/2004	Aadu Mirme	23,392-85	1097

23452 7590 06/07/2006

PATENT DEPARTMENT  
LARKIN, HOFFMAN, DALY & LINDGREN, LTD.  
1500 WELLS FARGO PLAZA  
7900 XERXES AVENUE SOUTH  
BLOOMINGTON, MN 55431

EXAMINER

KRAMSKAYA, MARINA

ART UNIT PAPER NUMBER

2858

DATE MAILED: 06/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/765,740

Applicant(s)

MIRME, AADU

Examiner

Marina Kramskaya

Art Unit

2858

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE \_\_\_\_\_ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 16 March 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1,3-16 and 62-97 is/are pending in the application.
- 4a) Of the above claim(s) 62-97 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3-7,9,12 and 13 is/are rejected.
- 7) ☒ Claim(s) 8,10,11 and 14-16 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03/16/2006 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 01/19/2006.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## **DETAILED ACTION**

### ***Information Disclosure Statement***

1. The information disclosure statement (IDS) submitted on 01/19/2006 was filed after the mailing date of the Non Final office action on 12/13/2005. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

2. The information disclosure statement filed 12/27/2005 fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because the required fee has not been paid. It has been placed in the application file, but the information referred to therein has not been considered as to the merits. Applicant is advised that the date of any re-submission of any item of information contained in this information disclosure statement or the submission of any missing element(s) will be the date of submission for purposes of determining compliance with the requirements based on the time of filing the statement, including all certification requirements for statements under 37 CFR 1.97(e). See MPEP § 609.05(a).

### ***Drawings***

3. The drawings were received on 03/16/2006. These drawings are not acceptable.
4. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because they are not labeled as either "Replacement Sheet" or "New

Art Unit: 2858

Sheet". Additionally crossed out reference numeral are not acceptable. Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

### **INFORMATION ON HOW TO EFFECT DRAWING CHANGES**

#### **Replacement Drawing Sheets**

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). A replacement sheet must include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin.

#### **Annotated Drawing Sheets**

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheet(s) must be clearly labeled as "Annotated Sheet" and must be presented in the amendment or remarks section that explains the change(s) to the drawings.

#### **Timing of Corrections**

Art Unit: 2858

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

### ***Election/Restrictions***

5. Newly submitted claims 62-97 are directed to an invention that is independent or distinct from the invention originally claimed for the following reasons:

6. Inventions group I (claims 1 & 3-16) and group II (claims 62-97) are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because the particulars of the integrating circuit are not required by the reset circuit of group I. The subcombination has separate utility such as an integrator.

Since applicant has received an action on the merits for the originally presented invention, this invention has been constructively elected by original presentation for prosecution on the merits. Accordingly, claims 62-97 are withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

***Claim Rejections - 35 USC § 102***

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

8. Claims 1 & 5 are rejected under 35 U.S.C. 102(b) as being anticipated by Smedley, US 5,278,490.

As per Claim 1, Smedley discloses a reset circuit for an integrating amplifier, including:

first comparator circuitry (20) having a first input terminal (19), a second input terminal (13) and a first output terminal (21);

a first conductive path (19) adapted to couple the first input terminal (19) to a feedback loop (feedback loop of 18) of an integrating amplifier (17) between an integrator output (19) of the integrating amplifier (17) and an integrating capacitor (see capacitor in FIG. 1) along the feedback loop, whereby a comparator input voltage ( $V_{int}$ ) at the first input terminal (19) is changed in a predetermined first direction (negative direction: column 6, lines 53-54) and in proportion to an amplitude of an incoming current during integration of the incoming current (column 5, lines 12-16);

a substantially stable voltage source ( $V_{ref}$ ) for biasing the second input terminal (13) at a first threshold voltage level ( $V_{ref}$ ) selected to determine one end of an operating

Art Unit: 2858

range for integration (column 5, lines 41-43), wherein the first comparator input voltage (input at **19**), when in said range and when so changed during integration, approaches the first threshold voltage level ( $V_{ref}$ ); and

a second conductive path (**21**) coupling (coupling through **22**) the first output terminal (**21**) to the feedback loop (feedback loop of **18**);

wherein the first comparator circuitry (**20**) is adapted, in response to detecting movement of the comparator input voltage out of the operating range beyond the first threshold voltage level ( $V_{ref}$ ), to generate a predetermined first comparator output voltage level at the first output terminal and to apply the comparator output voltage level to the feedback loop via the second conductive path, thereby to drive the comparator input voltage in a second direction (positive direction: column 6, line 67 - column 7, line 1) opposite said first direction to a point within the operating range for further integration of the incoming current (column 6, line 67 - column 7, line 1); and

wherein the first comparator (**20**) circuitry further is adapted to stop (go into **OFF** state) the application of the first comparator output voltage level to the feedback loop (by output **21** to flip flop **22**), responsive to detecting movement of the comparator input voltage ( $V_{int}$ ), during said application, in the second direction beyond the first threshold voltage ( $V_{ref}$ ) level and into the operating range (column 6, line 67-68).

As per Claim 5, Smedley further discloses a circuit wherein:

the comparator input voltage, when in the operating range, is higher than the first threshold voltage level, and is reduced during integration of the incoming current (column 6, lines 25-28).

***Claim Rejections - 35 USC § 103***

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. Claims 3-4 & 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Smedley, US 5,278,490, in view of Nguyen, US 6,519,167.

As per Claim 3, Smedley discloses the reset circuit as applied to Claim 1, above.

Smedley does not disclose an RC network along the first conductive path for interposing a time delay between a given change in the integrator output the voltage and a corresponding change in the comparator input voltage at the first input terminal.

Nguyen discloses a reset circuit including an RC network ( $R_E$  and  $C_i$ ) along the first conductive path (the **+terminal** path of **U2**) for interposing a time delay between a given change in the integrator (integrator: **U1**) output the voltage ( $V_i$ ) and a corresponding change in the comparator input voltage ( $V_i$ ) at the first input terminal (the **+terminal** path of **U2**).



Therefore, it would have been obvious to a person of ordinary skill in the art to include an RC network, as taught by Nguyen, in the circuit of Smedley, in order to assist in zero crossing detection (Nguyen: column 3, lines 58-62).

As per Claim 4, Smedley discloses the reset circuit as applied to Claim 1, above.

Smedley does not disclose

a second comparator circuitry having a third input terminal, a fourth input terminal and a second output terminal, wherein the third input terminal is coupled to receive the comparator input voltage;

a substantially stable second voltage source for biasing the fourth input terminal at a second threshold voltage level selected to determine a second and opposite end of the operating range, wherein the comparator input voltage, when in the operating range and when driven in said opposite direction, moves toward the second threshold voltage level; and

a third conductive path adapted to couple the second output terminal to the feedback loop;

wherein the second comparator circuitry is adapted, in response to detecting movement of the comparator input voltage in the second direction out of the operating range beyond the second threshold voltage level, to generate a predetermined second comparator output voltage level at the second output terminal and to apply the second comparator output voltage level to the feedback loop via the third conductive path,

Art Unit: 2858

thereby to drive the comparator input voltage in the first direction to a point within the operating range for further integration of the incoming current.

Nguyen discloses a reset circuitry for an integrating amplifier including:

a second comparator circuitry (**U3**) having a third input terminal (**+ terminal**), a fourth input terminal (**- terminal**) and a second output terminal (output coupled to **FF1**), wherein the third input terminal is coupled to receive the comparator input voltage (**V<sub>RAMP</sub>**);

a substantially stable second voltage source (**V<sub>REF</sub>**) for biasing the fourth input terminal (**- terminal**) at a second threshold voltage level (**V<sub>REF</sub>**) selected to determine a second and opposite end of the operating range (**-V<sub>REF</sub>**), wherein the comparator input voltage, when in the operating range and when driven in said opposite direction, moves toward the second threshold voltage level (**-V<sub>REF</sub>**); and

a third conductive path (output of **U3**) adapted to couple the second output terminal to the feedback loop (coupled through **FF1** back to the feedback of **U1**);

wherein the second comparator circuitry is adapted, in response to detecting movement of the comparator input voltage in the second direction out of the operating range beyond the second threshold voltage level, to generate a predetermined second comparator output voltage level at the second output terminal and to apply the second comparator output voltage level to the feedback loop via the third conductive path, thereby to drive the comparator input voltage in the first direction to a point within the operating range for further integration of the incoming current (column 4, lines 51-53, 59-62).

Therefore, it would have been obvious to a person of ordinary skill in the art to implement a second comparator circuitry, as taught by Nguyen, in the circuitry of Smedley, in order to compare the feedback voltage of the integrator to a second reference voltage.

As per Claim 12, Smedley, as modified, discloses the circuit as applied to Claim 4, above. Smedley further discloses the comparator input voltage, when in the operating range, is higher than the first threshold voltage level (see  $V_{int}$  graph in FIG. 2).

Smedley does not disclose the comparator input voltage, when in the operating range, is lower than the second threshold voltage level, and is reduced during integration of the incoming current.

Nguyen discloses the comparator input voltage, when in the operating range, is lower than the second threshold voltage level (see  $V_i$  graph in FIG. 2), and is reduced during integration of the incoming current (see  $V_i$  graph in FIG. 2).

Therefore, it would have been obvious to a person of ordinary skill in the art to have the comparator input voltage, when in the operating range, be lower than the second threshold voltage level, and to be reduced during integration of the incoming current, as taught by Nguyen, in the circuit of Smedley, in order to reduce error (Nguyen: column 2, lines 54-59).

11. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Smedley, US 5,278,490, in view of Lai et al., US 5,617,306.

Smedley discloses the circuit as applied to Claim 5, above.

Smedley does not explicitly disclose the substantially stable first comparator output voltage level being a high voltage selected to rapidly charge the integrating capacitor.

Lai discloses a substantially stable first comparator output voltage level (the output of the comparator 16 produces the high voltage  $V_p$ : 30) being a high voltage selected to rapidly charge the integrating capacitor (75:  $C_1$ ) (column 6, lines 61-62).

Therefore, it would have been obvious to a person of ordinary skill in the art to charge the integrating capacitor using the output voltage from the comparator, as taught by Lai, in the circuit of Smedley, in order to adjust the gain of the amplifier.

12. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Smedley in view of Lai et al., as applied to claim 6 above, and further in view of Hwang, US 5,565,761.

Smedley, as modified, discloses the circuit an applied to Claim 6, above.

Smedley does not disclose having a first comparator circuitry adapted to alternatively generate a high voltage and a substantially stable low voltage, wherein applying the first comparator output voltage to the feedback loop consists essentially of switching from the low voltage to the high voltage, and stopping the application to the feedback loop consists essentially of switching from the high voltage to the low voltage.

Hwang discloses

a first comparator circuitry that is adapted to alternatively generate said high voltage and a substantially stable low voltage, wherein applying the first comparator output voltage to the feedback loop consists essentially of switching from the low voltage to the high voltage, and stopping the application to the feedback loop consists essentially of switching from the high voltage to the low voltage (column 3, lines 60-65).

Therefore, it would have been obvious to a person of ordinary skill in the art to have a comparator circuitry to switch from high voltage to low voltage, as taught by Hwang, in the circuit of Smedley, in order to turn of the feedback loop when a reference voltage is reached (Hwang: column 4, lines 27-30).

13. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Smedley in view of Lai et al., as applied to Claim 6 is above, and further in view of Hwang, US 5,742,151.

Smedley, as modified, discloses the circuit as applied to Claim 6, above.

Smedley does not disclose a diode along the second conductive path, oriented with its forward direction coincident with current flow from the first output terminal to the feedback loop.

Hwang discloses a diode (**D1**) along the second conductive path, oriented with its forward direction coincident with current flow from the first output terminal to the feedback loop (column 8, lines 20-34).

Therefore, it would have been obvious to a person of ordinary skill in the art to use a diode in the feedback loop, as taught by Hwang, in the circuit of Smedley, in order

Art Unit: 2858

to use the diode current to control the duty cycle of a circuit (Hwang: column 8, lines 20-34).

14. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Smedley, US 5,278,490, in view of Nguyen, US 6,519,167, as applied to claim 12 above, and further in view of Lai et al., US 5,617,306.

As per Claim 13, Smedley, as modified, discloses the circuit as applied to Claim 12, above.

Smedley does not disclose a first comparator circuitry that is adapted to alternatively generate a substantially stable high voltage and a substantially stable low voltage at the first output terminal, and generating the first comparator output voltage level consists essentially of switching from the low voltage to the high voltage to rapidly charge the integrating capacitor.

Lai disclose a first comparator circuitry (CMP: 16) that is adapted to alternatively generate a substantially stable high voltage and a substantially stable low voltage at the first output terminal, and generating the first comparator output voltage level consists essentially of switching from the low voltage to the high voltage to rapidly charge the integrating capacitor (i.e. the switch 13 charges and discharges the integrating capacitor  $C_i$ , the voltage  $V_p$  is a high voltage that is switched).

Therefore, it would have been obvious to a person of ordinary skill in the art to include a switching from high to low voltage to rapidly charge and discharge an

Art Unit: 2858

integrating capacitor, as taught by Lai, in the circuit of Smedley, in order to provide a faster reset time (Lai: column 2, lines 36-44).

***Allowable Subject Matter***

15. Claims 8, 10-11, and 14-16 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

As per Claim 8, the prior art fails to anticipate or make obvious a circuit including:  
power control circuitry having a fifth input terminal coupled to the first output terminal, a third output terminal, and a fourth conductive path adapted to couple the third output terminal to an input of the integrating amplifier to provide power to the integrating amplifier;

wherein the power control circuitry is adapted to generate a substantially stable high voltage during integration, and to switch from the high voltage to a substantially stable low voltage in response to receiving the high voltage from first comparator circuitry, thereby to shut off power to the integrating amplifier.

As per Claim 10, the prior art fails to anticipate or make obvious a circuit including a limiting circuitry in particular coupled to the second conductive path to prevent excess charging of the integrating capacitor.

Claim 11 further depends from claim 10, and is therefore allowable over prior art.

As per Claim 14, the prior art fails to anticipate or make obvious a circuit characterized in the addition of a second comparator circuitry that is adapted to alternatively generate a substantially stable high voltage and a substantially stable low voltage at the second output terminal, and generating the second comparator output level consists essentially of switching from the high voltage to the low voltage to rapidly discharge the integrating capacitor.

Claims 15 and 16 further depend from claim 14, and are therefore allowable over prior art.

### ***Response to Arguments***

16. Applicant's arguments filed 03/16/2006 have been fully considered but they are not persuasive.

17. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., virtually continuous integration, and measurement of low current amplitudes with a reduced susceptibility to noise) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).



***Conclusion***

18. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marina Kramskaya whose telephone number is (571)272-2146. The examiner can normally be reached on M-F 7:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diane Lee can be reached on (571)272-2399. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2858

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MK

Marina Kramskaya  
Examiner  
Art Unit 2858



DIANE LEE  
SUPERVISORY PATENT EXAMINER